SHEET NO.	02-03946	02-03946 TOWNSHIP				687	E Gana	the REMA		0.0	
3 S25	CAMBRID			E TWP.				PHO SI	W.Pt.NE	65	58 33 33
JOT & PARCEL NO.	corporation or vill							32.50			
4								B 11		- / Cla)	
ET. A 267-596-ET/S	LET. C	LET. D		LET. E		LET. F			\times	ar .	
200000 27/2/213-942	255.518	238.654		230.07 2		209	.917		1 J. L. 18	Para site	*
17.274 18.424	16.864	8.584		20.1	53	17	.137	ballity D	ONAKER.	. 9504	15
GRANTEE		TRANS. I	DATE	VOL.	PAC	DE .	LET.	TRANS, DATE		PAGE	SPLIT NO.
ZINK, PHILLIP J. CAN'B NIDGE 313 LCD.		1967	The same case and the same	271	83,	Tue.	Α	7-27-95	111	140	14
		5/13/	[′] 82	349	162	2	В	10-4-95	115	5/2	15
HC. CHANGE COLL COLL		2-4-3		354	27		С	10-20-55	116	444	16
DETWEILLER , J.J. ENTERPRISES, INC.		10-14	-94	94	49	ν	D	4-26-96	128	976	17
ROBINNETTE, MIRNA M.		2-8-0	5	4-21	804	, IA	E	5-16-96	130	526	1/8
ROBINETTE, MIRNA M DEED OF CORRECTIO		TION 2-16	-05	422	64		F	8-13-96		316	19
LINDSAY, FRANK & MARCIA		4-24-()6	439	85	(O)	G	2-12-97	147	798	20
		7.14		The second of th			H	2-12-97	148	368	2/
				Market and the second s			I	2-12-97	148	368	22
Alabamana aga 1 - V		111111111111111111111111111111111111111					J	2-12-97	148	368	23
							K	6-30-97	159	406	24
		(OVER)		- Control of the cont			L	10-2-97	166	750	25

GRANTEE 02-03946	TRANS. DATE	VOL,	PAGE	LE	T. TRANS. DATE	VOL.	PAGE	SPLIT NO.
G. 192.78 H. 116.61 I. 111.598				N	1 11-19-97	170	614	26
76.170 5.012 5.278				N		186	124	27
N					6-2-98	186	129	28
J. 106.32 K. 100.539 L. 94.987					6-2-98	186	129	29
5.781 5.552 5.012		The second secon			6-2-98	186	129	
		777 okon (1900 okon (1			3-16-99		1	V
M. 89.975 N. 84.965 O. 79.432 P. 73.8	12 0 68 1	31 D	62 404		4-22-99			32
5.010 5.533 5.620 5.6				<	10-27-99			33
		Appeal of the second			6-8-01		835	37
S. <u>50.597</u> T. <u>40.258</u> U. <u>34.679</u> V. <u>29</u> .	778 W 2	7 0/.7		5		278	835	35
10 220		· 347 5 · 801		W	6-8-01 10-23-03			
	0.02	.001	The state of the s		2-17-04			37
X. 11.146 Y. 6.136			The second secon		2-1/-04	200	DHO	38
5.010			7	1000 to 1000 t				The selection of the se
		. A law recommendation of Manager and Assessment of the						
							V	
	The state of the s			10.0° 0.0° 0.0° 0.0° 0.0° 0.0° 0.0° 0.0°				THE STATE OF THE S
							I	